




■ ポイントはんだ用

PAD・PDS





|                | a<br>(幅) | b<br>(はんだ面高さ) | c<br>(厚み) | (メッキ面)<br>d(全周) |
|----------------|----------|---------------|-----------|-----------------|
| **-08PAD03-E08 | 3.0      | 0.8           | 0.3       | 0.8             |
| **-10PAD03-E08 | 3.0      | 1.0           | 0.3       | 0.8             |
| **-13PAD05-E15 | 4.0      | 1.3           | 0.5       | 1.5             |
| **-16PAD06-E15 | 4.0      | 1.6           | 0.6       | 1.5             |
| **-20PAD07-E15 | 4.0      | 2.0           | 0.7       | 1.5             |
| **-24PAD08-E15 | 4.0      | 2.4           | 0.8       | 1.5             |
| **-30PAD10-E30 | 5.0      | 3.0           | 1.0       | 3.0             |
| **-40PAD10-E30 | 5.0      | 4.0           | 1.0       | 3.0             |
| **-50PDS-E40   | 5.0      | 5.0           | 1.3       | 4.0             |
| **-60PDS-E40   | 6.0      | 6.0           | 1.3       | 4.0             |
| **-80PDS-E50   | 8.0      | 8.0           | 1.6       | 5.0             |

PAD・PDS




|                | a(mm) | b   | c   | d(2面) |
|----------------|-------|-----|-----|-------|
| **-08PAD03-B08 | 3.0   | 0.8 | 0.3 | 0.8   |
| **-10PAD03-B08 | 3.0   | 1.0 | 0.3 | 0.8   |
| **-13PAD05-B15 | 4.0   | 1.3 | 0.5 | 1.5   |
| **-16PAD06-B15 | 4.0   | 1.6 | 0.6 | 1.5   |
| **-20PAD07-B15 | 4.0   | 2.0 | 0.7 | 1.5   |
| **-24PAD08-B15 | 4.0   | 2.4 | 0.8 | 1.5   |
| **-30PAD10-B30 | 5.0   | 3.0 | 1.0 | 3.0   |
| **-40PAD10-B30 | 5.0   | 4.0 | 1.0 | 3.0   |
| **-50PDS-B40   | 5.0   | 5.0 | 1.3 | 4.0   |
| **-60PDS-B40   | 6.0   | 6.0 | 1.3 | 4.0   |
| **-80PDS-B50   | 8.0   | 8.0 | 1.6 | 5.0   |

PDZ




|                 | a(mm) | b   | c   | d(全面) |
|-----------------|-------|-----|-----|-------|
| **-13PDZ08-EZ15 | 4.0   | 1.3 | 0.5 | 1.5   |
| **-16PDZ12-EZ15 | 4.0   | 1.6 | 0.6 | 1.5   |
| **-20PDZ14-EZ15 | 4.0   | 2.0 | 0.6 | 1.5   |
| **-24PDZ16-EZ15 | 4.0   | 2.4 | 0.8 | 1.5   |
| **-30PDZ20-EZ30 | 5.0   | 3.0 | 1.0 | 3.0   |
| **-40PDZ24-EZ30 | 5.0   | 4.0 | 1.0 | 3.0   |
| **-50PDZ35-EZ40 | 5.0   | 5.0 | 1.3 | 4.0   |

GDV




|                 | a(mm) | b   | c   | d(全面) |
|-----------------|-------|-----|-----|-------|
| **-10GDV07-EZ10 | 3.0   | 1.0 | 0.4 | 1.0   |
| **-13GDV08-EZ15 | 4.0   | 1.3 | 0.5 | 1.5   |
| **-16GDV10-EZ15 | 4.0   | 1.6 | 0.6 | 1.5   |
| **-20GDV14-EZ15 | 4.0   | 2.0 | 0.8 | 1.5   |
| **-24GDV14-EZ15 | 4.0   | 2.4 | 0.8 | 1.5   |
| **-30GDV17-EZ30 | 5.0   | 3.0 | 1.0 | 3.0   |
| **-40GDV17-EZ30 | 5.0   | 4.0 | 1.0 | 3.0   |
| **-50GDV17-EZ40 | 5.0   | 5.0 | 1.0 | 4.0   |
| **-60GDV23-EZ40 | 6.0   | 6.0 | 1.3 | 4.0   |

GDV




|                 | a(mm) | b   | c   | d(2面)        |
|-----------------|-------|-----|-----|--------------|
| **-10GDV07-BZ10 | 3.0   | 1.0 | 0.4 | 1.0          |
| **-13GDV08-BZ15 | 4.0   | 1.3 | 0.5 | 1.5          |
| **-16GDV10-BZ15 | 4.0   | 1.6 | 0.6 | 1.5          |
| **-20GDV14-BZ15 | 4.0   | 2.0 | 0.8 | 1.5          |
| **-24GDV14-BZ15 | 4.0   | 2.4 | 0.8 | 1.5          |
| **-30GDV17-BZ30 | 5.0   | 3.0 | 1.0 | 3.0          |
| **-40GDV17-BZ30 | 5.0   | 4.0 | 1.0 | 3.0          |
| **-50GDV17-BZ40 | 5.0   | 5.0 | 1.0 | 4.0          |
| **-60GDV23-BZ40 | 6.0   | 6.0 | 1.3 | 4.0          |
| **-80GDV60-BZ50 | 8.0   | 1.0 | 1.6 | 5.0(V溝150° ) |

GAV




|                 | a(mm) | b   | c | d(全周) |
|-----------------|-------|-----|---|-------|
| **-20GAV14-EZ15 | 4.0   | 2.0 |   | 1.5   |
| **-24GAV17-EZ20 | 4.0   | 2.4 |   | 2.0   |
| **-30GAV21-EZ30 | 5.0   | 3.0 |   | 3.0   |
| **-40GAV28-EZ30 | 5.0   | 4.0 |   | 3.0   |

PCA•PCS



|              | a(mm) | b   | c | d |
|--------------|-------|-----|---|---|
| **-10PCA-B □ | 3.0   | 1.0 |   |   |
| **-13PCA-B   | 3.0   | 1.3 |   |   |
| **-16PCA-B   | 4.0   | 1.6 |   |   |
| **-20PCA-B   | 4.0   | 2.0 |   |   |
| **-24PCA-B □ | 4.0   | 2.4 |   |   |
| **-30PCA-B □ | 5.0   | 3.0 |   |   |
| **-40PCA-B   | 5.0   | 4.0 |   |   |
| **-50PCA-B   | 5.0   | 5.0 |   |   |
| **-60PCA-B   | 6.0   | 6.0 |   |   |
| **-80PCA-B   | 8.0   | 8.0 |   |   |

PCZ



|              | a(mm) | b   | c | d |
|--------------|-------|-----|---|---|
| **20PCZ10-BZ | 4.0   | 2.0 |   |   |
| **24PCZ12-BZ | 4.0   | 2.4 |   |   |
| **30PCZ14-BZ | 5.0   | 3.0 |   |   |
| **40PCZ16-BZ | 5.0   | 4.0 |   |   |
| **50PCZ24-BZ | 5.0   | 5.0 |   |   |